

Section 2

Equipment List

This section lists the equipment necessary for the proposed solution.

2.1 Tehama County Sheriff's Dispatch Equipment List

BLOCK	QTY	NOMENCLATURE	DESCRIPTION
K core	1	SQM01SUM0237A	SINGLE ZONE CONVE NON-RED
K core	1	CA03828AA	ADD: DSC 8000 CONVENTIONAL SITE CONTROLLER
K Core	1	CA03828AA-P	ADD: DSC 8000 CONVENTIONAL SITE CONTROLLER PRICE
K Core	1	CA03829AA	ADD: DSC 8000 REDUNDANCY
K Core	1	CA03829AA-P	ADD: DSC 8000 REDUNDANCY PRICE
K Core	1	CA01663AB	ADD: RACK
K Core	1	CLN1866A	FRU: 1M DAC CABLE
OP_POS	1	B1948A	MCC 7500E DISPATCH POSITION LICENSES
OP_POS	4	UA00249AA	ADD: 15 RADIO RESOURCES LICENSE
OP_POS	4	UA00653AA	ADD: BASIC CONSOLE OPERATION LICENSE
OP_POS	4	UA00655AA	ADD: ADVANCED CONVENTIONAL OPERATION LICENSE
OP_POS	4	UA00658AA	ADD: SECURE OPERATION LICENSE
OP_POS	4	UA00659AA	ADD: ADP--AES--DES-OFB SOFTWARE ALGORITHMS
OP_POS	4	UA00661AA	ADD: ENHANCED IRR OPERATION LICENSE
OP_POS	1	BVN1017A	SOFTWARE,DISPATCH ASSISTANT SOFTWARE DVD
CCHUB	4	B1956A	COMMANDCENTRAL HUB, W/CLIENT PC
CCHUB	4	CA03547AA	ADD: BRACKET, MOUNTING 2RU
CCHUB	4	CA03572AA	ADD: CABLE RETENTION BRACKET
CCHUB	4	CA03553AA	ADD: AC LINE CORD, NORTH AMERICA
OS	4	CA03850AA	ADD: WINDOWS OS FOR MCC7500E CONSOLE
MICROPHONE	4	B1951B	MICROPHONE, DESKTOP, USB
MICROPHONE	4	CA03413AA	ADD: USB CABLE, TYPE A TO TYPE C, 4.5M
SPEAKER	8	B1952B	SPEAKER, DESKTOP, USB
SPEAKER	8	CA03405AA	ADD: POWER SUPPLY WITH DC CORD
SPEAKER	8	CA03406AA	ADD: AC LINE CORD, NORTH AMERICA
SPEKAER	8	CA03413AA	ADD: USB CABLE, TYPE A TO TYPE C, 4.5M
HDST JACK	8	B1913A	MCC SERIES HEADSET JACK
HDST BASE	4	RLN6098A	HDST MODULE BASE W/PTT, 15 FT CBL

HDST	4	RMN5150A	OVER-THE-HEAD, MONAURAL, NOISE-CANCELING HEADSET
FOOTSWITCH	4	DSTWIN6328A	PROVIDES ONE DUAL PEDAL FOOTSWITCH
MONITOR	4	DSTG241B	TECH GLOBAL EVOLUTION SERIES 24INCH NON TOUCH
POWER STRIP	4	DSACPDU6N120SN2T T	AC PDU, RACKMOUNT, 6 OUTLETS, SASD PROTECTED, UL1449/R56, 12FT CORD
MCAFFEE	5	T8742A	MCAFFEE FOR WINDOWS CLIENT, A2019.2 +PLUS
WIN SUPP	5	T8806A	WINDOWS SUPP. TRANSPARENT, A2022.1
CCGW 01	1	SQM01SUM0333A	MCG 8000 CONVENTIONAL GATEWAY
CCGW 01	1	CA03714AA	ADD: AC POWER
CCGW 01	8	CA03717AA	ADD: ACIM INTERFACE
CCGW 01	8	CA03748AA	ADD: MDC1200 OVER IP INTERFACE
CCGW 02	1	SQM01SUM0333A	MCG 8000 CONVENTIONAL GATEWAY
CCGW 02	1	CA03714AA	ADD: AC POWER
CCGW 02	4	CA03716AA	ADD: V.24 INTERFACE
CCGW 02	4	CA03718AA	ADD: ANALOG 4WIRE INTERFACE
CCGW 02	4	CA03748AA	ADD: MDC1200 OVER IP INTERFACE
PDU	1	DS11011188	PDU, 120/240 SPLIT PH OR N+1 REDUNDANT, 60A MAX PER PHASE, SIX DEDICAT
BREAKER	12	DS3750297	BREAKER, 15 AMP, CB UL 489 LISTED FOR AC EDGE II (1101- 1188)
SPD	2	DS1101990	SPD, SHIELDED RJ-45 JACK, SINGLE LINE GBE (1000MBPS) R56 COMPLIANT
RACK MOUNT	1	DSTSJADP	RACK MOUNT GROUND BAR, 19 IN FOR TSJ AND WPH SERIES DATA SPDS
SPARE – SWITCH	1	CLN9066A	SWITCH,SWITCH,EX4100 24-PORT SWITCH NON TAA
SPARE – ROUTER	1	T8492A	SITE ROUTER & FIREWALL- AC
SPARE – ROUTER	1	CA03445AA	ADD: MISSION CRITICAL HARDENING
SPARE – ROUTER	1	CA03448AA	ADD: STATEFUL FIREWALL
SPARE – CCHUB	1	B1956A	COMMANDCENTRAL HUB, W/CLIENT PC
SPARE-CCHUB	1	CA03547AA	ADD: BRACKET, MOUNTING 2RU
SPARE-CCHUB	1	CA03572AA	ADD: CABLE RETENTION BRACKET
SPARE-CCHUB	1	CA03553AA	ADD: AC LINE CORD, NORTH AMERICA
SPARE-CCHUB	1	CA03850AA	ADD: WINDOWS OS FOR MCC7500E CONSOLE
SPARE-ACCES	1	B1951B	MICROPHONE, DESKTOP, USB
SPARE-ACCES	1	CA03413AA	ADD: USB CABLE, TYPE A TO TYPE C, 4.5M
SPARE-ACCES	2	B1952B	SPEAKER, DESKTOP, USB
SPARE-ACCES	2	CA03405AA	ADD: POWER SUPPLY WITH DC CORD
SPARE-ACCES	2	CA03406AA	ADD: AC LINE CORD, NORTH AMERICA
SPARE-ACCES	2	CA03413AA	ADD: USB CABLE, TYPE A TO TYPE C, 4.5M

SPARE-ACCES	1	B1913A	MCC SERIES HEADSET JACK
SPARE-ACCES	1	RLN6098A	HDST MODULE BASE W/PTT, 15 FT CBL
SPARE-ACCES	1	RMN5150A	OVER-THE-HEAD, MONAURAL, NOISE-CANCELING HEADSET
SPARE-ACCES	1	DSTWIN6328A	PROVIDES ONE DUAL PEDAL FOOTSWITCH
SPARE-CCGW	1	SQM01SUM0333A	MCG 8000 CONVENTIONAL GATEWAY
SPARE-CCGW	1	CA03714AA	ADD: AC POWER
SPARE-CCGW	2	CA03716AA	ADD: V.24 INTERFACE
SPARE-CCGW	4	CA03717AA	ADD: ACIM INTERFACE
SPARE-CCGW	2	CA03718AA	ADD: ANALOG 4WIRE INTERFACE
SPARE-CCGW	8	CA03748AA	ADD: MDC1200 OVER IP INTERFACE
GTR SW UPGR	1	T7140A	G-SERIES SOFTWARE UPGRADE
GTR SW UPGR	1	CA02211AA	ADD:ANALOG CONV TO DIGITAL CONV BR SW UPG
GTR SW UPGR	1	CA01946AA	ADD: CONV MIXED MODE OPERATION
GTR SW UPGR	1	CA01502AA	ADD: ASTRO 25 CONV SIMULCAST SW
TCSO CH1	1	T7039A	GTR 8000 BASE RADIO
TCSO CH1	1	CA03863AA	ADD: ASTRO SYSTEM RELEASE 2022.1
TCSO CH1	1	X530BG	ADD: VHF (136-174 MHZ)
TCSO CH1	1	CA01948AA	ADD: DIGITAL CONVENTIONAL SOFTWARE
TCSO CH1	1	CA01953AA	ADD: POWER EFFICIENCY PACKAGE
TCSO CH1	1	CA01946AA	ADD: CONV MIXED MODE OPERATION
TCSO CH1	1	CA01502AA	ADD: ASTRO 25 CONV SIMULCAST SW
TCSO CH1	1	CA01504AA	ADD: ANTENNA RELAY
TCSO CH1	1	CA01954AA	ADD: WILDCARD W--GPIO
TCSO CH1	1	X265AM	ADD: BR PRESELECTOR, (150-174 MHZ)
TCSO CH1	1	X153AW	ADD: RACK MOUNT HARDWARE
TCSO CH1	1	CA01400AA	ADD: POWER CABLE, DC
TCSO CH1	1	CA00952AA	ADD: QUANTAR RETROFIT HARDWARE
TCSO CH1 FRU	1	DLN6805A	FRU: ENERGY EFFICIENT POWER SUPPLY
TCSO CH1 FRU	1	DLN6898A	FRU: FAN MODULE
TCSO CH1 FRU	1	DLN6897A	FRU: PA VHF
ANTENNA TCSO CH1	1	DSDS1F03P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, 3 DB GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX

ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
TCSO CH2	1	DSDS1F03P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, 3 DB GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABU	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT UP
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
ANT CORNING PD	1	DSDS1F00P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, UNITY GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
ANT CALAW1	1	DSDS1F00P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, UNITY GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE

UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABU	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT UP
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
ANT TCPW	1	DSDS1F00P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, UNITY GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
ANT NATLE NET	1	DSDS1F00P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, UNITY GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)

MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
ANT LNP Turner	1	DSDS1F00P36UM	150-164 MHZ, VHF ANTENNA, OMNIDIRECTIONAL, UNITY GAIN, LOW-PIM/HI-PIP, 4.3-10 FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
ANT Red Bluff PD	1	DQSP1F05CS36UN	144-174MHZ 10DB 6 ELEMENT YAGI ANTENNA, 500 WATTS, W/HARNESS N FEMALE TERMINATION
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)

ANT CLERS7/BLOOMER	1	DSRDA661	YAGI RUGGEDIZED 6 ELEMENT, 9DBD, 450-480MHZ, N FEMALE
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	1	DSNMA01250B	N MALE FOR 1/2 CABLE (USE WITH CT01250AIO-2)
UPPERJUMPR	1	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	10	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
UPPERJUMPR	1	DSNMA01250B	N MALE FOR 1/2 CABLE (USE WITH CT01250AIO-2)
UPPERJUMPR	1	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
UPPERJUMPR	2	DSWKU	WK-U, UNIVERSAL WEATHERPROOFING KIT
MAINLINE	50	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT

MAINLINE	2	DS43FA01250B	4.3-10 FEMALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
MAINLINE	3	DSGKS12AC	GK-S12AC, STD GROUND KIT FOR 1/2" AIRCELL COAX
ANTACC	2	DSSHU12	SH-U12, UNIV SNAP HANGER 1/2 ,PKG10
SURGE	1	DSVHF50B43MABD	4.3-10 M/F RF SPD, 100-520MHZ, DC BLOCK, 750W, 20KA, BKT DN
LOWERJUMPR	40	DSAT012J50	AT012J50, 1/2" TRANSMISSION LINE,50OHM,BLACK POLYETHYLENE JCKT PER FT
LOWERJUMPR	2	DS43MA01250B	4.3-10 MALE FOR 1/2" CABLE, OPTIMIZED FOR PIM (USE WITH CT01250AIO-2)
Console - VHF	6	L37TSS9PW1AN	ALL BAND CONSOLETTTE
Console - VHF	6	CA01942AA	ADD: DC CORD
Console - VHF	6	GA00318AB	ADD: 5Y ESSENTIAL SERVICE
Console - VHF	6	G90AC	ADD: NO MICROPHONE NEEDED APX
Console - VHF	6	G48BB	ENH: CONVENTIONAL OPERATION APX
Console - VHF	6	CA01598AB	ADD: AC LINE CORD US
Console - VHF	6	L999AG	ADD: FULL FP W/E5/KEYPAD/CLOCK/VU
Console - VHF	6	G806BL	ENH: ASTRO DIGITAL CAI OP APX
Console - VHF	6	QA09113AB	ADD: BASELINE RELEASE SW
Console - VHF	6	G193AK	ADD: ADP ONLY (NON-P25 CAP COMPLIANT) (US ONLY)
Console - VHF	6	GA05507AA	DEL: DELETE 7/800MHZ BAND
Console - VHF	6	GA05509AA	DEL: DELETE UHF BAND
Console - VHF	6	HKN6233C	APX CONSOLETTTE RACK MOUNT KIT
Console - UHF	1	L37TSS9PW1AN	ALL BAND CONSOLETTTE
Console - UHF	1	CA01942AA	ADD: DC CORD
Console - UHF	1	GA00318AB	ADD: 5Y ESSENTIAL SERVICE
Console - UHF	1	G90AC	ADD: NO MICROPHONE NEEDED APX
Console - UHF	1	G48BB	ENH: CONVENTIONAL OPERATION APX
Console - UHF	1	CA01598AB	ADD: AC LINE CORD US
Console - UHF	1	L999AG	ADD: FULL FP W/E5/KEYPAD/CLOCK/VU
Console - UHF	1	G806BL	ENH: ASTRO DIGITAL CAI OP APX
Console - UHF	1	QA09113AB	ADD: BASELINE RELEASE SW
Console - UHF	1	G193AK	ADD: ADP ONLY (NON-P25 CAP COMPLIANT) (US ONLY)
Console - UHF	1	GA05507AA	DEL: DELETE 7/800MHZ BAND
Console - UHF	1	GA05508AA	DEL: DELETE VHF BAND
Console - UHF	1	HKN6233C	APX CONSOLETTTE RACK MOUNT KIT