

Gerber Collision & Glass - Red Bluff

Highly Wreck - ommended 13548 Trinity Ave, Red Bluff, CA 96080 Phone: (530) 529-6824

Workfile ID: aa87c515 Federal ID: 51-0394062 State ID: N/A Federal EPA: N/A State EPA: N/A BAR: 306496

Preliminary Estimate

Customer: Palmer, Cody

Written By: Christopher Fields

Insured:

Palmer, Cody

Policy #:

Date of Loss:

Claim #:

Type of Loss:

Point of Impact: 10 Left Front Pillar (Left

Side)

Days to Repair: 0

97,809

Good

Owner:

Inspection Location:

Insurance Company:

Palmer, Cody 774 Antelope Blvd Gerber Collision & Glass - Red Bluff

13548 Trinity Ave

Red Bluff, CA 96080 (530) 526-1065 Cell Red Bluff, CA 96080 Repair Facility

(530) 529-6824 Business

VEHICLE

2017 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.7L Gasoline Sequential MPI Oxford White

VIN:

1FM5K8AR4HGA24330

Interior Color:

Mileage In:

Vehicle Out:

License: 1503435

Exterior Color:

Oxford White

Mileage Out:

State: CA

Production Date:

7/2016

Condition:

Job #:

TRANSMISSION

Automatic Transmission

4 Wheel Drive **POWER**

Power Steering

Power Brakes

Power Windows

Power Locks

Power Mirrors Power Driver Seat

Power Adjustable Pedals

DECOR

Dual Mirrors

Privacy Glass

Overhead Console

Air Conditioning

Intermittent Wipers

Tilt Wheel

Rear Defogger

Rear Window Wiper

Backup Camera

CONVENIENCE

Cruise Control

Message Center

Steering Wheel Touch Controls

RADIO

AM Radio FM Radio

Stereo Search/Seek CD Player

SAFETY

Drivers Side Air Bag

Passenger Air Bag

Anti-Lock Brakes (4)

4 Wheel Disc Brakes Traction Control

Stability Control Front Side Impact Air Bags Head/Curtain Air Bags

Xenon or L.E.D. Headlamps **SEATS**

Cloth Seats **Bucket Seats**

Reclining/Lounge Seats

WHEELS

Styled Steel Wheels

PAINT

Clear Coat Paint **OTHER**

Rear Spoiler

California Emissions

9/9/2024 1:05:21 PM 465571 Page 1

Customer: Palmer, Cody

2017 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.7L Gasoline Sequential MPI Oxford White

Line		Oper	Description	Part Number	Qty	Extended Price \$	Labor	Paint	
1	FRONT BUMPE	R				·			
2		R&I	R&I bumper assy				1.7		
3	FRONT LAMPS								
4		R&I	LT R&I headlamp assy				Incl.		
5	FENDER								
6		Repl	LT Fender	FB5Z16006A	1	484.23	2.3	2.2	
7			Add for Clear Coat					0.9	
8			Add for Edging					0.5	
9			Add for Clear Coat					0.1	
10		Repl	LT Fender liner	FB5Z16103E	1	56.72	Incl.		
11		Repl	LT Rear bracket	BB5Z16K039A	1	40.23	0.1		
12		Repl	LT Wheel flare	FB5Z16039AB	1	66.95	0.3		
13	FRONT DOOR								
14	*	Rpr	LT Outer panel				<u>1.5</u>	2.4	
15			Overlap Major Adj. Panel					-0.4	
16			Add for Clear Coat					0.4	
17		R&I	LT Belt w'strip				0.3		
18	*	R&I	LT Lower molding absolute black				0.4		
19	*	Rpr	Clean and Retape Lower LT molding				<u>0.2</u>	0.0	
20		R&I	LT Mirror outside power, w/o power fold w/o lamps				0.3		
21	*	Rpr	Remove Old Adhesive				0.2	0.0	
22		R&I	LT Handle, outside black				0.4		
23		R&I	LT R&I trim panel				0.5		
24	VEHICLE DIAGNOSTICS								
25	*	Rpr	Pre-repair scan			m	<u>0.5</u>		
26	*	Rpr	Post-repair scan			m	<u>0,5</u>		
27	#	Subl	Hazardous Waste		1	3.50 T			
28	#		Cover Car		1	10.00 T			
29	#	Repl	Corrosion Protection		1	5.00			
30	#	Refn	Color Tint					1.0	
31	#	Rpr	D&R Battery			_			
				SUBTOTALS		666.63	9.2	7.1	

Customer: Palmer, Cody

2017 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.7L Gasoline Sequential MPI Oxford White

ESTIMATE TOTALS

Category	Basis	Basis		Cost \$	
Parts				653.13	
Body Labor	9.2 hrs	@	\$ 115.00 /hr	1,058.00	
Paint Labor	7.1 hrs	@	\$ 115.00 /hr	816.50	
Paint Supplies	7.1 hrs	@	\$ 65.00 /hr	461.50	
Miscellaneous				13.50	
Subtotal				3,002.63	
Sales Tax	\$ 1,128.13	@	7.2500 %	81.79	
Grand Total				3,084.42	

FOR YOUR PROTECTION CALIFORNIA LAW REQUIRES THE FOLLOWING TO APPEAR ON THIS FORM. ANY PERSON WHO KNOWINGLY PRESENTS FALSE OR FRAUDULENT INFORMATION TO OBTAIN OR AMEND INSURANCE COVERAGE OR TO MAKE A CLAIM FOR THE PAYMENT OF A LOSS IS GUILTY OF A CRIME AND MAY BE SUBJECT TO FINES AND CONFINEMENT IN STATE PRISON.

THE FOLLOWING IS A LIST OF ABBREVIATIONS OR SYMBOLS THAT MAY BE USED TO DESCRIBE WORK TO BE DONE OR PARTS TO BE REPAIRED OR REPLACED:

MOTOR ABBREVIATIONS/SYMBOLS: D=DISCONTINUED PART, A=APPROXIMATE PRICE. LABOR TYPES: B=BODY LABOR, D=DIAGNOSTIC, E=ELECTRICAL, F=FRAME, G=GLASS, M=MECHANICAL, P=PAINT LABOR, S=STRUCTURAL, T=TAXED MISCELLANEOUS, X=NON TAXED MISCELLANEOUS. CCC ONE: ADJ=ADJACENT, ALGN=ALIGN, A/M=AFTERMARKET, BLND=BLEND, CAPA=CERTIFIED AUTOMOTIVE PARTS ASSOCIATION, D&R=DISCONNECT AND RECONNECT, EST=ESTIMATE, EXT. PRICE=UNIT PRICE MULTIPLIED BY THE QUANTITY, INCL=INCLUDED, MISC=MISCELLANEOUS, NAGS=NATIONAL AUTO GLASS SPECIFICATIONS, NON-ADJ=NON ADJACENT, O/H=OVERHAUL, OP=OPERATION, NO=LINE NUMBER, QTY=QUANTITY, RECOND=RECONDITION, REFN=REFINISH, REPL=REPLACE, R&I=REMOVE AND INSTALL, R&R=REMOVE AND REPLACE, RPR=REPAIR, RT=RIGHT, SECT=SECTION, SUBL=SUBLET, LT=LEFT, W/O=WITHOUT, W/ =WITH/ SYMBOLS: #=MANUAL LINE ENTRY, *=OTHER [IE..MOTORS DATABASE INFORMATION WAS CHANGED], **=DATABASE LINE WITH AFTERMARKET, N=NOTES ATTACHED TO LINE. OPT OEM=ORIGINAL EQUIPMENT MANUFACTURER PARTS EITHER OPTIONALLY SOURCED OR OTHERWISE PROVIDED WITH SOME UNIQUE PRICING OR DISCOUNT.

""CURE TIME"" MEANS THE LENGTH OF TIME THAT, PER THE ADHESIVE MANUFACTURER, THE WINDSHIELD ADHESIVE NEEDS TO CURE UNTIL THE

Customer: Palmer, Cody

2017 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.7L Gasoline Sequential MPI Oxford White

WINDSHIELD CAN PROPERLY FUNCTION AS A SAFETY DEVICE PURSUANT TO THE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND THE VEHICLE MANUFACTURER'S SPECIFICATIONS.

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from the Guide DR2MF16, CCC Data Date 09/04/2024, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM (Optional OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships with discounted pricing. Asterisk (*) or Double Asterisk (**) indicates that the parts and/or labor data provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, A/M or NAGS. Used parts are described as LKQ, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

SYMBOLS FOLLOWING PART PRICE:

m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

SYMBOLS FOLLOWING LABOR:

D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

OTHER SYMBOLS AND ABBREVIATIONS:

Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber.

D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=NSF International Certified Part. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

Customer: Palmer, Cody

2017 FORD Police Interceptor Utility Vehicle AWD (Fleet) 4D UTV 6-3.7L Gasoline Sequential MPI Oxford White

CCC ONE Estimating - A product of CCC Intelligent Services Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:

BAR=Bureau of Automotive Repair. EPA=Environmental Protection Agency. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.